



Ratchet Wrench (Simple Type)

Item Number	Standard			Metric		
	Drive (a)	Length (l)	Weight	Drive (a)	Length (l)	Weight
911-910-02A	1/4"	8"	0.672 lbs	-	200 mm	0.305 kg
911-910-06A	3/8"	8"	0.690 lbs	-	200 mm	0.313 kg
911-910-08A	1/2"	10"	0.904 lbs	-	250 mm	0.410 kg
911-910-10A	3/4"	12"	2.209 lbs	-	300 mm	1.002 kg
911-910-12A	1"	12"	2.811 lbs	-	300 mm	1.275 kg




Ratchet Wrench

Item Number	Standard			Metric		
	Drive (a)	Length (l)	Weight	Drive (a)	Length (l)	Weight
912-010-02A	1/2"	9 1/2"	1.356	-	245 mm	0.615
912-010-04A	3/4"	12 1/2"	3.153	-	320 mm	1.430
912-010-06A	1"	21 5/8"	6.768	-	550 mm	3.070




Hinged Handle

Item Number	Standard			Metric		
	Drive (a)	Length (l)	Weight	Drive (a)	Length (l)	Weight
911-810-02A	3/8"	7"	0.463 lbs	-	190 mm	0.210 kg
911-810-04A	1/2"	10"	0.683 lbs	-	250 mm	0.310 kg
911-810-06A	1/2"	12"	0.838 lbs	-	320 mm	0.380 kg
911-810-08A	1/2"	15"	1.213 lbs	-	400 mm	0.550 kg
911-810-10A	3/4"	11 1/4"	1.257 lbs	-	286 mm	0.570 kg
911-810-12A	1"	12"	1.830 lbs	-	304 mm	0.830 kg




Sliding Bar

Item Number	Standard			Metric		
	Drive (a)	Length (l)	Weight	Drive (a)	Length (l)	Weight
911-710-02A	1/2"	10"	0.666 lbs	-	250 mm	0.302 kg
911-710-04A	3/4"	14"	2.156 lbs	-	350 mm	0.978 kg
911-710-06A	3/4"	16"	2.692 lbs	-	400 mm	1.221 kg
911-710-08A	1"	16"	3.265 lbs	-	400 mm	1.481 kg




Speed Handle

Item Number	Standard			Metric		
	Drive (a)	Length (l)	Weight	Drive (a)	Length (l)	Weight
912-310-02A	1/2"	15"	1.543 lbs	-	390 mm	0.700 kg




Driver Extensions

Item Number	Standard			Metric		
	Drive (a)	Length (l)	Weight	Drive (a)	Length (l)	Weight
912-210-02A	3/8"	3"	0.176	-	75 mm	0.080
912-210-04A	3/8"	6"	0.353	-	150 mm	0.160
912-210-06A	1/2"	4"	0.507	-	100 mm	0.230
912-210-08A	1/2"	5"	0.507	-	125 mm	0.230
912-210-10A	1/2"	8"	0.992	-	200 mm	0.450
912-210-12A	1/2"	10"	1.014	-	250 mm	0.460
912-210-14A	3/4"	8"	1.918	-	200 mm	0.870
912-210-16A	1"	8"	3.109	-	200 mm	1.410



Drive Handle (1/4" Sq.)


Item Number	Standard			Metric		
	Drive (a)	Length (b)	Weight	Drive (a)	Length (b)	Weight
912-410-02A	1/4"	5 1/2"	0.121 lbs	-	140 mm	0.055 kg



Torque Wrench*

Item Number	Standard			Metric		
	Drive (l)	Max Torque	Weight	Drive (l)	Max Torque	Weight
93A-910-02A	3/8"	75 ft lbs	1.191			0.540
93A-910-04A	1/2"	220 ft lbs	2.668			1.210
93A-910-06A	3/4"	370 ft lbs	4.255			1.930
93B-910-02A	3/8"		1.191		100 Nm	0.540
93B-910-04A	1/2"		2.668		300 Nm	1.210
93B-910-06A	3/4"		4.255		500 Nm	1.930

*Accuracy: +/- 0.0074 ft. lbs = (0.01 Nm)




Driver Adaptor

Item Number	Standard			Metric		
	a to b	Length (l)	Weight	Drive (a)	Length (l)	Weight
911-310-08A	3/8" to 1/2"	1 5/16"	0.110	-	34 mm	0.050
911-310-06A	1/2" to 3/8"	1 5/16"	0.154	-	34 mm	0.070
911-310-12A	1/2" to 3/4"	2"	0.331	-	50 mm	0.150
911-310-10A	3/4" to 1/2"	1 1/8"	0.573	-	55 mm	0.260
911-310-16A	3/4" to 1"	2 3/8"	0.706	-	60 mm	0.320



Universal Joint

Item Number	Standard			Metric		
	Drive (a)	Length (l)	Weight	Drive (a)	Length (l)	Weight
911-210-02A	1/2"	3 3/16"	0.375	-	80 mm	0.170
911-210-04A	3/4"	4 5/16"	0.992	-	110 mm	0.450
911-210-06A	1"	5"	1.984	-	125 mm	0.900



Sockets 3/8" Drive Inch

Item Number	Standard			Metric		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
910-310-02A	5/16"	1 1/4"	0.044 lbs	-	32 mm	0.020 kg
910-310-04A	3/8"	1 1/4"	0.062 lbs	-	32 mm	0.028 kg
910-310-06A	7/16"	1 1/4"	0.079 lbs	-	32 mm	0.036 kg
910-310-08A	1/2"	1 1/4"	0.084 lbs	-	32 mm	0.038 kg
910-310-10A	9/16"	1 1/4"	0.093 lbs	-	32 mm	0.042 kg
910-310-12A	5/8"	1 3/8"	0.143 lbs	-	35 mm	0.065 kg
910-310-14A	11/16"	1 3/8"	0.148 lbs	-	35 mm	0.067 kg
910-310-16A	3/4"	1 3/8"	0.152 lbs	-	35 mm	0.069 kg
910-310-18A	13/16"	1 3/8"	0.176 lbs	-	35 mm	0.080 kg
910-310-20A	7/8"	1 3/8"	0.187 lbs	-	35 mm	0.085 kg
910-310-22A	15/16"	1 3/8"	0.209 lbs	-	35 mm	0.095 kg



Sockets 3/8" Drive Metric

Item Number	Metric			Standard		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
900-103-05A	5 mm	28 mm	0.018	-	1 1/8"	0.040
900-103-55A	5.5 mm	28 mm	0.019	-	1 1/8"	0.042
900-103-06A	6 mm	28 mm	0.020	-	1 1/8"	0.044
900-103-07A	7 mm	28 mm	0.020	-	1 1/8"	0.044
900-103-08A	8 mm	28 mm	0.021	-	1 1/8"	0.046
900-103-09A	9 mm	28 mm	0.022	-	1 1/8"	0.049
900-103-10A	10 mm	32 mm	0.350	-	1 1/4"	0.772
900-103-11A	11 mm	32 mm	0.037	-	1 1/4"	0.082
900-103-12A	12 mm	32 mm	0.038	-	1 1/4"	0.084
900-103-13A	13 mm	32 mm	0.039	-	1 1/4"	0.086
900-103-14A	14 mm	32 mm	0.040	-	1 1/4"	0.088
900-103-15A	15 mm	32 mm	0.045	-	1 1/4"	0.099
900-103-26A	16 mm	32 mm	0.050	-	1 1/4"	0.110
900-103-27A	17 mm	32 mm	0.054	-	1 1/4"	0.119
900-103-29A	19 mm	32 mm	0.055	-	1 1/4"	0.121
900-103-20A	20 mm	32 mm	0.056	-	1 1/4"	0.123



Sockets 1/2" Drive Inch

Item Number	Standard			Metric		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
910-410-02A	5/16"	1 9/16"	0.157	-	40 mm	0.071
910-410-04A	3/8"	1 9/16"	0.157	-	40 mm	0.071
910-410-06A	7/16"	1 9/16"	0.159	-	40 mm	0.072
910-410-08A	1/2"	1 9/16"	0.159	-	40 mm	0.072
910-410-10A	9/16"	1 9/16"	0.161	-	40 mm	0.073
910-410-12A	5/8"	1 9/16"	0.176	-	40 mm	0.080
910-410-14A	11/16"	1 9/16"	0.187	-	40 mm	0.085
910-410-16A	3/4"	1 5/8"	0.198	-	42 mm	0.090
910-410-18A	13/16"	1 11/16"	0.243	-	43 mm	0.110
910-410-20A	7/8"	1 11/16"	0.287	-	43 mm	0.130
910-410-22A	15/16"	1 11/16"	0.298	-	43 mm	0.135
910-410-24A	1"	1 11/16"	0.320	-	43 mm	0.145
910-410-26A	1 1/16"	1 13/16"	0.485	-	46 mm	0.220
910-410-27A	1 3/16"	1 13/16"	0.507	-	46 mm	0.230
910-410-28A	1 1/4"	1 7/8"	0.529	-	47 mm	0.240
910-410-30A	1 7/16"	1 7/8"	0.750	-	47 mm	0.340




Sockets 1/2" Drive Inch DEEPWELL

Item Number	Standard			Metric		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
990-410-02A	5/16"	2 3/8"	-	-	60 mm	-
990-410-04A	3/8"	2 3/8"	0.218	-	60 mm	0.099
990-410-06A	7/16"	2 3/8"	-	-	60 mm	-
990-410-08A	1/2"	2 3/8"	0.220	-	60 mm	0.100
990-410-10A	9/16"	2 3/8"	0.234	-	60 mm	0.106
990-410-12A	5/8"	2 3/8"	0.240	-	60 mm	0.109
990-410-14A	11/16"	2 3/8"	-	-	60 mm	-
990-410-16A	3/4"	2 3/8"	0.331	-	60 mm	0.150
990-410-18A	13/16"	2 3/8"	-	-	60 mm	-
990-410-20A	7/8"	2 3/8"	0.370	-	60 mm	0.168
990-410-22A	15/16"	2 3/8"	-	-	60 mm	-
990-410-24A	1"	2 3/8"	0.514	-	60 mm	0.233
990-410-26A	1 1/16"	3 3/16"	0.840	-	80 mm	0.381
990-410-27A	1 3/16"	3 3/16"	0.871	-	80 mm	0.395
990-410-28A	1 1/4"	3 3/16"	0.886	-	80 mm	0.402
990-410-30A	1 7/16"	3 3/16"	1.184	-	80 mm	0.537
990-410-32A	1 1/2"	3 3/16"	-	-	80 mm	-
990-410-34A	1 5/8"	3 3/16"	-	-	80 mm	-



Sockets 1/2" Drive Inch IMPACT

Item Number	Standard			Metric		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
901-04A-02A	5/16"			-		
901-04A-04A	3/8"			-		
901-04A-06A	7/16"			-		
901-04A-08A	1/2"			-		
901-04A-10A	9/16"			-		
901-04A-12A	5/8"			-		
901-04A-14A	11/16"			-		
901-04A-16A	3/4"			-		
901-04A-18A	13/16"			-		
901-04A-20A	7/8"			-		
901-04A-22A	15/16"			-		
901-04A-24A	1"			-		
901-04A-26A	1 1/16"			-		
901-04A-27A	1 3/16"			-		
901-04A-28A	1 1/4"			-		
901-04A-30A	1 7/16"			-		
901-04A-32A	1 1/2"			-		
901-04A-34A	1 5/8"			-		



Sockets 1/2" Drive Metric

Item Number	Metric			Standard		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
900-104-06A	6 mm	40 mm	0.069	-	1 9/16"	0.152
900-104-07A	7 mm	40 mm	0.070	-	1 9/16"	0.154
900-104-08A	8 mm	40 mm	0.070	-	1 9/16"	0.154
900-104-09A	9 mm	40 mm	0.071	-	1 9/16"	0.157
900-104-10A	10 mm	40 mm	0.071	-	1 9/16"	0.157
900-104-11A	11 mm	40 mm	0.072	-	1 9/16"	0.159
900-104-12A	12 mm	40 mm	0.072	-	1 9/16"	0.159
900-104-13A	13 mm	40 mm	0.073	-	1 9/16"	0.161
900-104-14A	14 mm	40 mm	0.073	-	1 9/16"	0.161
900-104-15A	15 mm	40 mm	0.075	-	1 9/16"	0.165
900-104-16A	16 mm	40 mm	0.077	-	1 9/16"	0.170
900-104-17A	17 mm	40 mm	0.080	-	1 9/16"	0.176
900-104-18A	18 mm	42 mm	0.082	-	1 5/8"	0.181
900-104-19A	19 mm	42 mm	0.100	-	1 5/8"	0.220
900-104-20A	20 mm	42 mm	0.110	-	1 5/8"	0.243
900-104-21A	21 mm	43 mm	0.125	-	1 11/16"	0.276
900-104-22A	22 mm	43 mm	0.130	-	1 11/16"	0.287
900-104-23A	23 mm	43 mm	0.145	-	1 11/16"	0.320
900-104-24A	24 mm	43 mm	0.170	-	1 11/16"	0.375
900-104-25A	25 mm	43 mm	0.180	-	1 11/16"	0.397
900-104-26A	26 mm	43 mm	0.190	-	1 11/16"	0.419
900-104-27A	27 mm	46 mm	0.215	-	1 13/16"	0.474
900-104-28A	28 mm	46 mm	0.225	-	1 13/16"	0.496
900-104-29A	29 mm	46 mm	0.230	-	1 13/16"	0.507
900-104-30A	30 mm	46 mm	0.260	-	1 13/16"	0.573
900-104-32A	32 mm	46 mm	0.290	-	1 13/16"	0.639



Sockets 3/4" Drive Inch

Item Number	Standard			Metric		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
910-510-02A	3/4"	2"	0.485	-	50 mm	0.220
910-510-04A	13/16"	2 1/8"	0.529	-	55 mm	0.240
910-510-06A	7/8"	2 1/8"	0.540	-	55 mm	0.245
910-510-08A	15/16"	2 1/8"	0.617	-	55 mm	0.280
910-510-10A	1"	2 1/8"	0.617	-	55 mm	0.280
910-510-12A	1 1/16"	2 1/8"	0.628	-	55 mm	0.285
910-510-14A	1 1/8"	2 1/8"	0.694	-	55 mm	0.315
910-510-16A	1 3/16"	2 3/8"	0.805	-	60 mm	0.365
910-510-18A	1 1/4"	2 3/8"	0.882	-	60 mm	0.400
910-510-20A	1 5/16"	2 3/8"	0.948	-	60 mm	0.430
910-510-22A	1 3/8"	2 3/8"	1.036	-	60 mm	0.470
910-510-24A	1 7/16"	2 3/8"	1.058	-	60 mm	0.480
910-510-26A	1 1/2"	2 3/8"	1.168	-	60 mm	0.530
910-510-28A	1 5/8"	2 1/2"	1.411	-	65 mm	0.640
910-510-30A	1 3/4"	2 1/2"	1.532	-	65 mm	0.695
910-510-32A	1 13/16"	2 1/2"	1.554	-	65 mm	0.705
910-510-34A	1 7/8"	2 1/2"	1.565	-	65 mm	0.710
910-510-36A	2"	2 3/4"	1.874	-	70 mm	0.850




Sockets 3/4" Drive Inch DEEPWELL

Item Number	Standard			Metric		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
990-510-02A	3/4"			-		
990-510-04A	13/16"			-		
990-510-06A	7/8"			-		
990-510-08A	15/16"			-		
990-510-10A	1"			-		
990-510-12A	1 1/16"			-		
990-510-14A	1 1/8"	3 1/2"	1.224	-	90 mm	0.555
990-510-16A	1 3/16"	3 1/2"		-	90 mm	
990-510-18A	1 1/4"	3 1/2"		-	90 mm	
990-510-20A	1 5/16"	3 1/2"		-	90 mm	
990-510-22A	1 3/8"	3 1/2"		-	90 mm	
990-510-24A	1 7/16"	3 1/2"	1.631	-	90 mm	0.740
990-510-26A	1 1/2"	3 1/2"		-	90 mm	
990-510-28A	1 5/8"	3 1/2"	1.957	-	90 mm	0.885
990-510-30A	1 3/4"			-		
990-510-32A	1 13/16"			-		
990-510-34A	1 7/8"			-		
990-510-36A	2"	4"	2.635	-	100 mm	1.195



Sockets 3/4" Drive Inch IMPACT

Item Number	Standard			Metric		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
901-07A-22A	7/8"	2 1/8"		-	55 mm	
901-07A-24A	15/16"	2 1/8"		-	55 mm	
901-07A-25A	1"	2 1/8"		-	55 mm	
901-07A-27A	1 1/16"	2 1/8"		-	55 mm	
901-07A-28A	1 1/8"	2 3/8"		-	60 mm	
901-07A-30A	1 3/16"	2 3/8"		-	60 mm	
901-07A-32A	1 1/4"	2 3/8"		-	60 mm	
901-07A-33A	1 5/16"	2 3/8"		-	60 mm	
901-07A-35A	1 3/8"	2 3/8"		-	60 mm	
901-07A-36A	1 7/16"	2 3/8"		-	60 mm	
901-07A-38A	1 1/2"	2 1/2"		-	65 mm	
901-07A-41A	1 5/8"	2 1/2"		-	65 mm	
901-07A-44A	1 3/4"	2 1/2"		-	65 mm	
901-07A-46A	1 13/16"	2 1/2"		-	65 mm	
901-07A-48A	1 7/8"	2 1/2"		-	65 mm	
901-07A-50A	2"	2 3/4"		-	70 mm	




Sockets 3/4" Drive Metric

Item Number	Metric			Standard		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
900-105-17A	17 mm	50 mm	0.225	-	2"	0.496
900-105-19A	19 mm	50 mm	0.225	-	2"	0.496
900-105-21A	21 mm	55 mm	0.245	-	2 1/8"	0.540
900-105-22A	22 mm	55 mm	0.245	-	2 1/8"	0.540
900-105-23A	23 mm	55 mm	0.280	-	2 1/8"	0.617
900-105-24A	24 mm	55 mm	0.280	-	2 1/8"	0.617
900-105-26A	26 mm	55 mm	0.280	-	2 1/8"	0.617
900-105-27A	27 mm	55 mm	0.285	-	2 1/8"	0.628
900-105-28A	28 mm	55 mm	0.310	-	2 1/8"	0.683
900-105-29A	29 mm	60 mm	0.320	-	2 3/8"	0.706
900-105-30A	30 mm	60 mm	0.370	-	2 3/8"	0.816
900-105-31A	31 mm	60 mm	0.380	-	2 3/8"	0.838
900-105-32A	32 mm	60 mm	0.410	-	2 3/8"	0.904
900-105-34A	34 mm	60 mm	0.440	-	2 3/8"	0.970
900-105-36A	36 mm	60 mm	0.465	-	2 3/8"	1.025
900-105-38A	38 mm	60 mm	0.510	-	2 3/8"	1.124
900-105-41A	41 mm	65 mm	0.640	-	2 1/2"	1.411
900-105-46A	46 mm	65 mm	0.705	-	2 1/2"	1.554
900-105-50A	50 mm	70 mm	0.840	-	2 3/4"	1.852



Sockets 3/4" Drive Metric IMPACT

Item Number	Metric			Standard		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
900-107-24A	24 mm	55 mm	0.330	-	2 1/8"	0.728
900-107-27A	27 mm	55 mm	0.360	-	2 1/8"	0.794
900-107-30A	30 mm	60 mm	0.470	-	2 3/8"	1.036
900-107-32A	32 mm	60 mm	0.515	-	2 3/8"	1.135
900-107-36A	36 mm	60 mm	0.565	-	2 3/8"	1.246
900-107-41A	41 mm	65 mm	0.765	-	2 1/2"	1.687
900-107-46A	46 mm	65 mm	0.870	-	2 1/2"	1.918
900-107-50A	50 mm	70 mm	1.003	-	2 3/4"	2.211



Sockets 1" Drive Inch

Item Number	Standard			Metric		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
910-610-02A	1 1/16"	2 1/8"	0.794	-	55 mm	0.360
910-610-04A	1 1/8"	2 1/8"	0.803	-	55 mm	0.364
910-610-06A	1 3/16"	2 3/8"	0.893	-	60 mm	0.405
910-610-08A	1 1/4"	2 3/8"	0.950	-	60 mm	0.431
910-610-10A	1 5/16"	2 3/8"	0.974	-	60 mm	0.442
910-610-12A	1 3/8"	2 3/8"	0.988	-	60 mm	0.448
910-610-14A	1 7/16"	2 3/8"	1.014	-	60 mm	0.460
910-610-16A	1 1/2"	2 3/8"	1.151	-	60 mm	0.522
910-610-18A	1 5/8"	2 1/2"	1.263	-	65 mm	0.573
910-610-19A	1 13/16"	2 1/2"	1.543	-	65 mm	0.700
910-610-20A	1 7/8"	2 1/2"	1.557	-	65 mm	0.706
910-610-22A	2"	2 3/4"	1.781	-	70 mm	0.808
910-610-23A	2 3/16"	2 3/4"	2.337	-	70 mm	1.060
910-610-24A	2 1/4"	3"	2.363	-	75 mm	1.072
910-610-25A	2 3/8"	3"	2.646	-	75 mm	1.200
910-610-26A	2 1/2"	3"	2.734	-	75 mm	1.240
910-610-27A	2 9/16"	3"	2.866	-	75 mm	1.300
910-610-28A	2 3/4"	3 3/16"	3.036	-	80 mm	1.377
910-610-29A	2 15/16"	3 3/16"	3.307	-	80 mm	1.500
910-610-30A	3"	3 3/16"	3.362	-	80 mm	1.525
910-610-31A	3 1/8"	3 3/16"	3.528	-	80 mm	1.600




Sockets 1" Drive Inch DEEPWELL

Item Number	Standard			Metric		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
990-610-02A	1 1/16"			-		
990-610-04A	1 1/8"			-		
990-610-06A	1 3/16"			-		
990-610-08A	1 1/4"			-		
990-610-10A	1 5/16"			-		
990-610-12A	1 3/8"			-		
990-610-14A	1 7/16"			-		
990-610-16A	1 1/2"			-		
990-610-18A	1 5/8"			-		
990-610-19A	1 13/16"			-		
990-610-20A	1 7/8"			-		
990-610-22A	2"			-		
990-610-23A	2 3/16"			-		
990-610-24A	2 1/4"			-		
990-610-25A	2 3/8"			-		
990-610-26A	2 1/2"			-		
990-610-27A	2 9/16"			-		
990-610-28A	2 3/4"			-		
990-610-29A	2 15/16"			-		
990-610-30A	3"			-		
990-610-31A	3 1/8"			-		



Sockets 1" Drive Inch IMPACT

Item Number	Standard			Metric		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
901-08A-27A	1 1/16"	2 3/8"	0.000	-	60 mm	
901-08A-28A	1 1/8"	2 3/8"	0.000	-	60 mm	
901-08A-30A	1 3/16"	2 3/8"	0.000	-	60 mm	
901-08A-32A	1 1/4"	2 3/8"	0.000	-	60 mm	
901-08A-33A	1 5/16"	2 3/4"	0.000	-	70 mm	
901-08A-35A	1 3/8"	2 3/4"	0.000	-	70 mm	
901-08A-36A	1 7/16"	2 3/4"	1.914	-	70 mm	0.868
901-08A-38A	1 1/2"	2 3/4"	0.000	-	70 mm	
901-08A-41A	1 5/8"	2 3/4"	2.048	-	70 mm	0.929
901-08A-46A	1 13/16"	3 3/16"	0.000	-	80 mm	
901-08A-48A	1 7/8"	3 3/16"	0.000	-	80 mm	
901-08A-50A	2"	3 3/16"	0.000	-	80 mm	
901-08A-56A	2 3/16"	3 1/2"	0.000	-	90 mm	
901-08A-57A	2 1/4"	3 1/2"	0.000	-	90 mm	
901-08A-60A	2 3/8"	3 1/2"	0.000	-	90 mm	
901-08A-64A	2 1/2"	3 1/2"	0.000	-	90 mm	
901-08A-65A	2 9/16"	3 1/2"	0.000	-	90 mm	
901-08A-70A	2 3/4"	3 1/2"	0.000	-	90 mm	
901-08A-75A	2 15/16"	3 1/2"	0.000	-	90 mm	
901-08A-76A	3"	3 1/2"	0.000	-	90 mm	
901-08A-80A	3 1/8"	3 1/2"	0.000	-	90 mm	



Sockets 1" Drive Metric

Item Number	Metric			Standard		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
900-106-22A	22 mm	55 mm	0.330	-	2 1/8"	0.728
900-106-24A	24 mm	55 mm	0.340	-	2 1/8"	0.750
900-106-25A	25 mm	55 mm	0.345	-	2 1/8"	0.761
900-106-26A	26 mm	55 mm	0.350	-	2 1/8"	0.772
900-106-27A	27 mm	55 mm	0.360	-	2 1/8"	0.794
900-106-28A	28 mm	55 mm	0.363	-	2 1/8"	0.800
900-106-29A	29 mm	55 mm	0.365	-	2 1/8"	0.805
900-106-30A	30 mm	60 mm	0.405	-	2 3/8"	0.893
900-106-31A	31 mm	60 mm	0.410	-	2 3/8"	0.904
900-106-32A	32 mm	60 mm	0.440	-	2 3/8"	0.970
900-106-34A	34 mm	60 mm	0.455	-	2 3/8"	1.003
900-106-36A	36 mm	60 mm	0.462	-	2 3/8"	1.019
900-106-38A	38 mm	60 mm	0.520	-	2 3/8"	1.146
900-106-41A	41 mm	65 mm	0.570	-	2 1/2"	1.257
900-106-46A	46 mm	65 mm	0.685	-	2 1/2"	1.510
900-106-50A	50 mm	70 mm	0.790	-	2 3/4"	1.742
900-106-55A	55 mm	75 mm	0.940	-	3"	2.072
900-106-60A	60 mm	75 mm	1.130	-	3"	2.491
900-106-65A	65 mm	80 mm	1.280	-	3 3/16"	2.822
900-106-70A	70 mm	80 mm	1.417	-	3 3/16"	3.124
900-106-75A	75 mm	85 mm	1.910	-	3 3/8"	4.211
900-106-80A	80 mm	85 mm	2.130	-	3 3/8"	4.696



Sockets 1" Drive Metric IMPACT

Item Number	Metric			Standard		
	Capacity (a)	Length (l)	Weight	Capacity (a)	Length (l)	Weight
900-108-19A	19 mm	60 mm	0.622	-	2 3/8"	1.371
900-108-21A	21 mm	60 mm	0.640	-	2 3/8"	1.411
900-108-22A	22 mm	60 mm	0.658	-	2 3/8"	1.451
900-108-24A	24 mm	60 mm	0.663	-	2 3/8"	1.462
900-108-26A	26 mm	60 mm	0.667	-	2 3/8"	1.471
900-108-27A	27 mm	60 mm	0.672	-	2 3/8"	1.482
900-108-29A	29 mm	60 mm	0.690	-	2 3/8"	1.521
900-108-30A	30 mm	60 mm	0.704	-	2 3/8"	1.552
900-108-32A	32 mm	60 mm	0.710	-	2 3/8"	1.565
900-108-34A	34 mm	70 mm	0.772	-	2 3/4"	1.702
900-108-35A	35 mm	70 mm	0.825	-	2 3/4"	1.819
900-108-36A	36 mm	70 mm	0.835	-	2 3/4"	1.841
900-108-38A	38 mm	70 mm	0.855	-	2 3/4"	1.885
900-108-41A	41 mm	70 mm	0.890	-	2 3/4"	1.962
900-108-46A	46 mm	80 mm	1.265	-	3 3/16"	2.789
900-108-50A	50 mm	80 mm	1.490	-	3 3/16"	3.285
900-108-52A	52 mm	90 mm	1.640	-	3 1/2"	3.616
900-108-55A	55 mm	90 mm	1.800	-	3 1/2"	3.968
900-108-58A	58 mm	90 mm	1.900	-	3 1/2"	4.189
900-108-60A	60 mm	90 mm	2.000	-	3 1/2"	4.409
900-108-65A	65 mm	90 mm	2.250	-	3 1/2"	4.961
900-108-70A	70 mm	90 mm	2.600	-	3 1/2"	5.732
900-108-75A	75 mm	90 mm	2.900	-	3 1/2"	6.394
900-108-80A	80 mm	90 mm	3.200	-	3 1/2"	7.055

